

Screen-to-Steel

PROPRIETARY ITEM NO: ESSTSP

PRODUCT DESCRIPTION

Retroactively fit our Screen-to-Steel solution to existing steel platforms.
Available in all our screen solutions, Classic, Louvre Wall and Acoustic Wall Solutions.

Con-form
GROUP
Making it *Easy*

SPECIFICATION WORDING

- ▶ System shall be Con-form Group Screen-to-Steel, proprietary item number ESSTSP secured with braceless and proprietary corner and intermediate posts.

Attaches directly to existing steel structures. All screening options available including, acoustic and louvre wall solutions.

APPLICATIONS & ADVANTAGES

- ▶ System can easily be retrofitted to existing steel platforms.
- ▶ Easy assembly and lightweight design reduces the need for additional structural requirements.
- ▶ Powder coated to match any colour scheme.
- ▶ Proprietary system is quick and easy to install.
- ▶ Components provide highly durable, long-term stability and performance.

Perfect for a wide range of applications:

- ▶ Large condenser platform screening.
- ▶ General architectural screening.
- ▶ Compressor enclosures and screening.
- ▶ Other mechanical plant equipment enclosures.

TECHNICAL DATA

- ▶ Weight's vary depending on selected screen solution.
- ▶ Heights include 1200mm, 1600mm, 2000mm 2400mm (custom heights also available).
- ▶ Our screening solutions can be sized to suit any plant equipment allowing sufficient area around the units for access (available in any length to suit your needs).

WARRANTY

- ▶ All components are backed by a 25 year warranty.



CERTIFICATIONS

- ▶ **Australian Standards:** AS1170.1, AS1170.2, AS1657 & AS1664.1 & Relevant Clauses of the Building Code of Australia
- ▶ **Wind Loads:** Con-form products have been certified for wind regions A, B and C.
V500 = 45m/s - Region A - Tc 2.5
V500 = 57m/s - Region B - Tc 2.5
V500 = 66m/s - Region C - Tc 2.5



MAINTENANCE

- ▶ Visual inspection for any damage or loose fittings is recommended annually. Report any damage or loose fixings to asset manager or building owner for correction.
- ▶ No certified maintenance is required that effects lifespan or performance of product.





AVAILABLE IN A RANGE OF COLORBOND® COLOURS TO CHOOSE FROM

Conceal plant machinery with a range of classic and contemporary colours to match the Colorbond Steel range

CLASSIC COLOUR RANGE




CLASSIC CREAM



PAPERBARK



PALE EUCALYPT



WOODLAND GREY




DEEP OCEAN



COTTAGE GREEN



MANOR RED



NIGHT SKY


CONTEMPORARY COLOUR RANGE



SURFMIST



EVENING HAZE



SHALE GREY



DUNE



COVE



WINDSPRAY



GULLY



MANGROVE



WALLABY



JASPER



BASALT



IRONSTONE



TERRAIN




MONUMENT


SCREEN PROFILE OPTIONS

WITH CLASSICSCREEN WALLS


ClassicScreen Wall




ClassicScreen Wall with Soundshield



ClassicScreen Wall with Peacemaker



ClassicScreen Wall with Acoustic+



Classic ScreenWall Profile



Soundshield Profile




Peacemaker Profile




Acoustic+ Profile

WITH LOUVREWALL AIRFLOW SCREENS


LouvreWall airflow




LouvreWall airflow and Soundshield




LouvreWall airflow with Peacemaker



LouvreWall airflow with Acoustic+



LouvreWall Profile Options



A (1:10)
POWDERCOATED WEATHER LV-100 LOUVRE



B (1:10)
POWDERCOATED STORM LV-100 LOUVRE

Con-form GROUP Making it <i>Easy</i> 62 CORPORATION AVE, BATHURST NSW 2795 info@conformgroup.com.au 1300 882 490		 ALL DIMS. GIVEN IN MM NOT TO SCALE
Product ScreentoRoof CR		
Drawing Title Technical Data Sheet		Sheet 2 OF 2